



CREST



SPECIFICATIONS:

Style Name:	Crest
Construction:	Multilevel loop
Fiber:	Nylon
Gauge:	1/12"
Backing:	PVC
Pile Height:	4/3/2mm
Tile Size:	50x50cm
Flammability:	≥4.5kw/m ² (GB8624-2012 B1)

7101
CREST



SPECIFICATIONS:

Style Name:	Crest
Construction:	Multilevel loop
Fiber:	Nylon
Gauge:	1/12"
Backing:	PVC
Pile Height:	4/3/2mm
Tile Size:	50x50cm
Flammability:	≥4.5kw/m ² (GB8624-2012 B1)

7102
CREST



SPECIFICATIONS:

Style Name:	Crest
Construction:	Multilevel loop
Fiber:	Nylon
Gauge:	1/12"
Backing:	PVC
Pile Height:	4/3/2mm
Tile Size:	50x50cm
Flammability:	≥4.5kw/m ² (GB8624-2012 B1)


7103
CREST



SPECIFICATIONS:


Style Name:	Crest
Construction:	Multilevel loop
Fiber:	Nylon
Gauge:	1/12"
Backing:	PVC
Pile Height:	4/3/2mm
Tile Size:	50x50cm
Flammability:	≥4.5kw/m ² (GB8624-2012 B1)

7104
CREST



Crest-7101

Crest-7102



Crest-7103


Crest-7104

CREST

SPECIFICATIONS:

Style Name:	Crest
Construction:	Multilevel loop
Fiber:	Nylon
Gauge:	1/12"
Backing:	PVC
Pile Height:	4/3/2mm
Tile Size:	50x50cm
Flammability:	≥4.5kw/m ² (GB8624-2012 B1)

APPROVED INSTALLATION METHODS



Sound Insulation



Heat Insulation



Colourfast



Anti-Flammability