

perfekt flooringTM



START

ivc living



WHY VINYL FLOORING?



Vinyl Flooring has never been more versatile and exciting then today, with an unparalleled mix of functionality and design. Vinyl flooring offers the “best in class” flooring technology” for residential and commercial applications combined with a wide array of “on-trend” design and colour.

Contemporary Natural Design

Whatever your style or mood, IVC Living has a design to celebrate it. Whether you are looking for the classic cool of herringbone or the country style of character oak, the cool and chill of concrete look or the more vibrant and energetic style of encaustic or mediterranean tile patterns, our design book and colors leave no one untouched. With IVC Living, everyone can enjoy a floor that allows to express your unique sense of style. IVC Living brings nature's rich tapestry to your home.

Happier Feet

Every IVC Living floor comes with a great feeling underfoot because of its unique technical characteristics. It gives our vinyl flooring a high level of underfoot comfort. And as a bonus, it also helps to keep your room warmer. Thanks to the unique multi-layered product build-up, IVC Living combines underfoot comfort with durability and strength. The fiberglass layer at the inner core provides a unique level of dimensional stability, which results in floor that will withstand the traffic of everyday life.

Peace & Silence

IVC Living's vinyl flooring will enhance your wellbeing thanks to the cleverly engineered acoustic backing that will soak up the sounds and noise of the hustle and bustle of today's households, making your home a more quieter and peaceful place.

A Floor for Every Home and Budget

Vinyl floors offer a budget friendly but high-quality solution for your home, allowing you to upgrade the style of your home in an affordable and family-friendly way. Thanks to its unmatched durability and easy-to-maintain characteristics, your IVC Living floor will be a joy for life. Thanks to its unique water-resistant product features, your IVC Living floor has a natural ability to withstand, splashes and spills, making it the perfect choice for all rooms of the house, including bathrooms and kitchens.

Cleaning's a Breeze

An IVC Living floor is easy to look after and will protect you against life's little mishaps which means that you will be able to enjoy many years of style and comfort.

Quick & Easy Installation

Installing vinyl flooring has never been easier, whether it is a textile backing, that smooths out small irregularities in the surface of the subfloor, or whether it is foam backing that offers great wear and tear and low residual indentation. Simply roll out the vinyl flooring into place, allowing you to save time and costs.

OUR SUSTAINABILITY JOURNEY

In 2022 Unilin launched One Home, our group-wide sustainability strategy with ambitious targets in several domains. We look into the environmental impact of our products and production processes, but also at how we live at home, at work and on our planet.

Planet Home

Greenhouse gas emissions must be reduced or even completely eliminated. This is a major challenge for the manufacturing industry, as we still too often burn fossil fuels and end-of-life products. We need to switch to circularity, using renewable or recycled materials and making recyclable products.

Your Home

A healthy, comfortable and sustainable living environment is more important than ever. The products we make must provide added value to our customers, without compromising on health, comfort or sustainability.

Our Home

Our company is a second home for more than 8,000 employees. We aim to create a positive, stimulating and safe working environment where they feel good and valued; an environment where everyone can challenge himself and continue to grow. Our community, municipalities and neighbours also form a significant part of our story.

The 'ONEHOME' logo is located in the bottom right corner. It features the word 'ONEHOME' in a bold, blue, sans-serif font. The letter 'O' is stylized with a circular arrow icon inside it.

START



COMFORTABLE
UNDERFOOT



THERMOBACK



5 YEARS
GUARANTEE



Burgos 044

Pattern repeat (w x l): 99,5 x 100 cm

Plank Size (w x l): 11,11 x 100 cm



START



COMFORTABLE
UNDERFOOT



THERMOBACK



5 YEARS
GUARANTEE



Birma 045

Pattern repeat (w x l): 100 x 100 cm

Plank Size (w x l): 16.7 x 100 cm



perfek flooring

START



COMFORTABLE
UNDERFOOT



THERMOBACK



5 YEARS
GUARANTEE



Equador 732

Pattern repeat (w x l): 100 x 100 cm

Plank Size (w x l): 10 x 100 cm



START



COMFORTABLE
UNDERFOOT



THERMOBACK



5 YEARS
GUARANTEE



Tibet D543

Pattern repeat (w x l): 100 x 100 cm

Plank Size (w x l): random x 100 cm



perfekt flooring

START



COMFORTABLE
UNDERFOOT



THERMOBACK



5 YEARS
GUARANTEE



Toronto 705

Pattern repeat (w x l): 100 x 100 cm

Plank Size (w x l): 16,7 x 100 cm



perfek**t**flooring™



COMFORTABLE
UNDERFOOT



THERMOBACK



5 YEARS
GUARANTEE



Brera 547

Pattern repeat (w x l): 199 x 150 cm

Plank Size (w x l): 9 x 150 cm





COMFORTABLE
UNDERFOOT



THERMOBACK



5 YEARS
GUARANTEE



Rhone 033

Pattern repeat (w x l): 100 x 100 cm

Plank Size (w x l): 6,25 cm x random





Camargue 507
Pattern repeat (w x l): 100 x 120 cm
Plank Size (w x l): 10 cm x random



START

Technical information

Use class	EN ISO 10874	21
Total thickness	EN ISO 24346	ca. 1,40 mm
Wear layer	EN ISO 24340	ca. 0,15 mm
Wear layer treatment		Natural Feel
Total weight/m ²	EN ISO 23997	ca. 1.200 g/m ²
Width		2 - (3) - 4 m
Standard length		ca. 40 - (40) - 40 m
Weight of standard roll		ca. 96 - (144) - 192 kg
Inflammability	EN 13501	Cfl-S1
Slip resistance	EN 13893	DS
Slip restraint	EN 16165 Annex B	R10
Thermal conductivity	EN 12524	0,119 W/mK
Thermal resistance	EN ISO 12466	0,0071 m ² K/W
Acoustic insulation	ISO 717	14 dB
Underfloor heating	EN 12524	Suitable
Resistance to household chemicals	EN ISO 26987	Very good
Warranty years		5

The warranty covers manufacturing defects and early wear due to normal residential use.



COMFORTABLE
UNDERFOOT



THERMOBACK



5 YEARS
GUARANTEE

[perfēktflooring]TM