


Aqua WPC Deck Plank & Tile

MAKE MORE OF THE
OUTDOORS

Durable,
eco-friendly
construction

TEN YEAR GUARANTEE
10


perfekt flooring™




Teak

Plank Size:
24 x 146 x 2900mm

Plank Size:
4.56 sqft/plank



SPEC: 146X24mm



Cladding
protective layer



Natural
texture




Rich color
matching



Anti-slip
wear-resistant



Environmental
protection



Easy to
install






Walnut

Plank Size:
24 x 146 x 2900mm

Plank Size:
4.56 sqft/plank



SPEC: 146X24mm



Cladding
protective layer



Natural
texture




Rich color
matching



Anti-slip
wear-resistant



Environmental
protection



Easy to
install






Coffee

Plank Size:
24 x 146 x 2900mm

Plank Size:
4.56 sqft/plank



SPEC: 146X24mm



Cladding
protective layer



Natural
texture




Rich color
matching



Anti-slip
wear-resistant



Environmental
protection



Easy to
install






Dark Grey

Plank Size:
24 x 146 x 2900mm


Plank Size:
4.56 sqft/plank



Cladding
protective layer



Natural
texture




Rich color
matching



Anti-slip
wear-resistant




Environmental
protection








Easy to
install






LIGHT BROWN PF(W)-511






Plank Size:
300 x 300 x 22 MM





DARK BROWN PF(W)-512


Plank Size:
300 x 300 x 22 MM





DARK GREY PF(W)-513

Plank Size:
300 x 300 x 22 MM



Cladding
protective layer


Natural
texture

Rich color
matching

Anti-slip
wear-resistant

Environmental
protection






Easy to
install






LIGHT BROWN PF(P)-514



Plank Size:
300 x 300 x 22 MM





DARK BROWN PF(P)-515

Plank Size:
300 x 300 x 22 MM



Cladding
protective layer



Natural
texture




Rich color
matching




Anti-slip
wear-resistant




Environmental
protection





Easy to
install





DARK GREY PF(P)-516


Plank Size:
300 x 300 x 22 MM



Cladding
protective layer



Natural
texture




Rich color
matching




Anti-slip
wear-resistant



Environmental
protection



Easy to
install



Product Parameter



Aqua WPC Deck Plank TECHNICAL PARAMETER

Pattern No. 146x24 square hole wpc floor

INSPECT ITEM	UNIT	STANDARD	TEST VALUE
Specific gravity	g/cm ³ Lb/in ³	≤ 1.35	1.35
Water absorption	%	≤ 1.5	0.43
Tensile strength	Mpa	≥ 8	16.8
Elongation at break	%	≥ 2	4.55
Flexural strength	Mpa	≥ 18	25
Flexural modulus	Gpa	≥ 1.5	3.1
Appearance and dimensions	–	Composite requirements	Composite requirements
COMPOSITE	60% Wood powder +30% Plastic +10% additives		



Aqua WPC Deck Tile TECHNICAL PARAMETER

Size:	300MM *300MM*22MM
Ingredient ratio :	60% Wood powder +30% Plastic +10% additives
Density :	1.35kg/m ³
Water absorption rate%(WPC PART):	0.42

Authorised Dealer

perfektflooringTM

Website :- www.perfektflooring.com

Email :- info@perfektflooring.com

